

What is claimed is:

1. A film for a medical packaging container comprising a peelable film comprising 90% or more by weight of a mixture of a propylene/ $\alpha$ -olefin copolymer (A) and at least one of a  
5 propylene/ $\alpha$ -olefin copolymer (B) having an  $\alpha$ -olefin content different from that of the copolymer (A) and a propylene homopolymer (C), wherein the propylene/ $\alpha$ -olefin copolymer (A) has an  $\alpha$ -olefin content of 5-20 mol% and a melting point of 110-130°C, the propylene/ $\alpha$ -olefin copolymer (B) has an  $\alpha$ -olefin content of 8 mol%  
10 or less, the propylene/ $\alpha$ -olefin copolymer (B) and the propylene homopolymer (C) each have a melting point of 130-170°C, and a difference between the melting point of (A) and the melting point of (C) is each at least 5°C and wherein the  $\alpha$ -olefin in the propylene/ $\alpha$ -olefin copolymer (A) and the  $\alpha$ -olefin in the  
15 propylene/ $\alpha$ -olefin copolymer (B) are  $\alpha$ -olefin having 2 or 4 to 8 carbon atoms.

2. The film for a medical packaging container claimed in claim 1, wherein the film is tubular.

20

3. The film for a medical packaging container claimed in claim 1, wherein the film is a plain monolayer film.

4. A laminated film for a medical packaging container comprising a peelable laminated film, wherein said peelable laminated film comprises, as a surface layer, a film comprising 90% or more by weight of a mixture of a propylene/ $\alpha$ -olefin copolymer (A) and at least one of a propylene/ $\alpha$ -olefin copolymer (B) having an  $\alpha$ -olefin content different from that of the copolymer (A) and a propylene homopolymer (C), wherein the propylene/ $\alpha$ -olefin copolymer (A) has an  $\alpha$ -olefin content of 5-20 mol% and a melting point of 110-130°C, the propylene/ $\alpha$ -olefin copolymer (B) has an  $\alpha$ -olefin content of 8 mol% or less, the propylene/ $\alpha$ -olefin copolymer (B) and the propylene homopolymer (C) each have a melting point of 130-170°C, and a difference between the melting point of (A) and the melting point of (C) is each at least 5°C and wherein the  $\alpha$ -olefin in the propylene/ $\alpha$ -olefin copolymer (A) and the  $\alpha$ -olefin in the propylene/ $\alpha$ -olefin copolymer (B) are  $\alpha$ -olefin having 2 or 4 to 8 carbon atoms.

5. The laminated film for a medical packaging container claimed in claim 4, wherein the laminated film is tubular.

6. The laminated film for a medical packaging container claimed in claim 4, wherein the laminated film is a plain multilayer film.

7. The laminated film for a medical packaging container claimed in claim 4, wherein the laminated film is a lid material for an easily peelable container.

5

8. The laminated film for a medical packaging container claimed in claim 4, wherein the laminated film is a sealing film for rubber stopper caps of an infusion bag.